

//-----

```
<html>
  <head>
    <title>Alerts</title>
    <script type="text/javascript">
function functionOne() { alert('You clicked the top text'); }
function functionTwo() { alert('You clicked the bottom text'); }
    </script>
  </head>
<body>
  <p><a href="#" onClick="functionOne();">Top Text</a></p>
  <p><a href="javascript:functionTwo();">Bottom Text</a></p>
</body>
</html>
```

//-----

```
<HTML>
<head>
<title>Factorial</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>
<BODY>
<SCRIPT type="text/JavaScript">
document.write("<h2>Factorials</h2>") ;
for (i=1, fact=1; i!=11; i++, fact *= i) {
    document.write ( i + "! =" + fact  ) ;
    document.write("<br/>");
}
</SCRIPT>
</BODY>
</HTML>
```

//-----

```
<html>
<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<title>Pop up example </title>
<script type="text/javascript">
// Popup window code
function newPopup(url) {
    popupWindow = window.open(url, 'popUpWindow', 'height=700,width=800,left=10,top=10,
    resizable=yes,scrollbars=yes,toolbar=yes,menubar=no,location=no,directories=no,
    status=yes')
}
</script>
</head>
<body>

<p>Popup Window:</p>
<p><a href="JavaScript:newPopup('http://www.quackit.com/html/codes/');">
Get your page in a popup!</a></p>
<p>More info: <a href="http://www.quackit.com/javascript/popup_windows.cfm">Popups</a></p>
</body>
</html>
```

//-----

```
<html>
```

```

<head>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
<title>Jump Menu</title>
<script language="javascript" type="text/javascript" >
function jumpto(x){

if (document.form1.jumpmenu.value != "null") {
    document.location.href = x
    }
}

</script>
</head>

<body>
<p>Jump Menu:</p>
<form name="form1">
<select name="jumpmenu" onChange=
"jumpto(document.form1.jumpmenu.options[document.form1.jumpmenu.options.selectedIndex].value)">
<option>Jump to...</option>
<option value=http://www.quackit.com>Quackit Homepage</option>
<option value=http://www.quackit.com/javascript/>JavaScript</option>
<option value=http://www.quackit.com/html/>HTML</option>
<option value=http://www.quackit.com/css/>CSS</option>
<option value=http://www.quackit.com/sql/tutorial/>SQL</option>
<option value=http://www.quackit.com/database/tutorial/>Database Tutorial</option>
<option value=http://www.quackit.com/web_hosting/>Web Hosting Tutorial</option>
</select>
</form>
<div class="more-info">
<p>More info: <a href="http://www.quackit.com/javascript/javascript_dropdown_menu.cfm">Jump Menu
</a></p>
</div>
</body>
</html>
//-----
<HTML>
<head>
<title>Color Changer</title>
<meta http-equiv="Content-Type" content="text/html; charset=iso-8859-1">
</head>

<BODY>
<SCRIPT LANGUAGE= "javascript">
setTimeout("document.bgColor ='white'", 1000)
setTimeout("document.bgColor ='lightpink'", 1500)
setTimeout("document.bgColor ='pink'", 2000)
setTimeout("document.bgColor ='deeppink'", 2500)
setTimeout("document.bgColor ='red'", 3000)
setTimeout("document.bgColor ='tomato'", 3500)
setTimeout("document.bgColor ='darkred'", 4000)
</SCRIPT>
</BODY>
</HTML>
//-----

```